Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S98	26	data near5 reproduc\$8 same (accumulat\$5 log\$1 jourmal histor\$5) with (data near4 type\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/04 18:15
S99	23	data near5 reproduc\$8 same user near4 input\$4 same table\$1 same (script\$1 code\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/04 18:15
S10 0	976	data near5 reproduc\$8 and accumulat\$3 and user near4 input\$4 and table\$1 and (script\$1 code\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/04 18:16
S10 1	838	data near5 reproduc\$8 and accumulat\$3 and user near4 input\$4 and table\$1 and (script\$1 code\$1) and compar\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/04 18:16
S10 2	99564	data near5 reproduc\$8 input\$4 near3 (time adj code\$1 "time-code") same table\$1 same (script\$1 code\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/04 18:19
S10 3	2	data near5 reproduc\$8 same input\$4 near3 (time adj code\$1 "time-code") same table\$1 same (script\$1 code\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/04 18:19
S10 4	27	data near5 reproduc\$8 and input\$4 near3 (time adj code\$1 "time-code") same table\$1 same (script\$1 code\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/04 18:32
S10 5	1	data near5 reproduc\$8 same (time adj code\$1 "time-code") same table\$1 same (script\$1 code\$1) near5 file\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/04 18:34
S10 6	45	(time adj code\$1 "time-code") same table\$1 same (script\$1 code\$1) near5 file\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/04 18:34

		LASI Scarci	· · · · · · · · · · · · · · · · · · ·			
S10 7	26	(time adj code\$1 "time-code") same table\$1 same (script\$1 code\$1) near5 file\$1 and data near5 reproduc\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/04 18:41
S10 8	221	(time adj code\$1 "time-code" input\$3 near3 code\$1) same table\$1 same (script\$1 code\$1) near5 file\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/04 18:42
S10 9	41	(time adj code\$1 "time-code" input\$3 near3 code\$1) same table\$1 same (script\$1 code\$1) near5 file\$1 and @rlad<="20010830"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/04 18:52
S11 0	29	S109 and compar\$9	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/04 18:45
S11 1	6	S110 and (match\$1 coincide\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/04 18:45
S11 2	22	(time adj code\$1 "time-code" input\$3 near3 code\$1) same table\$1 same (script\$1 code\$1) near5 file\$1 and @rlad<="20010830" and reproduc\$8	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/04 18:49
S11 3	5	(time adj code\$1 "time-code" input\$3 near3 code\$1) same table\$1 same (script\$1 code\$1) near5 file\$1 and @rlad<="20010830" and "717"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/04 18:52
S11 4	48119	data near reproduc\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/22 14:02
S11 5	6	data near reproduc\$5 same script\$3 same table\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/22 14:06
S11 6	10	data near reproduc\$5 same script\$3 near3 file\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/22 14:16

		LASI Searci	,			
S11 7	4	data near reproduc\$5 same table\$1 with script\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/22 14:12
S11 8	55	reproduc\$5 same table\$1 same script\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/22 14:13
S11 9	21	S118 and @rlad<="20010830"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/22 14:16
S12 0	75	data near reproduc\$5 same script\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/22 14:16
S12 1	3	S120 and @rlad<="20010830"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/22 14:20
S12 2	2017	script\$1 with table\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/22 14:21
S12 3	359	S122 and reproduc\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/22 14:21
S12 4	122	S123 and @rlad<="20010830"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/22 14:22
S12 5	42	S124 and (clock\$1 time near3 code\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/22 16:48
S12 6	12037	(script\$1 near (file\$1 table\$1)) "717"\$. ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/22 16:49

S12 7	12037	(script\$1 near (file\$1 table\$1)) "717"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/22 16:50
S12 8	42	S127 and "386"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/22 16:50
S12 9	9	S128 and @rlad<="20010830"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/22 16:57
S13 0	0	(script\$1 near file\$1) with reproduc%8	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/22 17:04
S13 1	42	(script\$1 near file\$1) with reproduc\$8	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/22 16:57
S13 2	5	S131 and @rlad<="20010830"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/22 17:06
S13 3	21	(script\$1) with (file\$1 command\$1) same reproduc\$8 near data	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/22 17:07
S13 4	1	S133 and @rlad<="20010830"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/22 17:08
S13 5	119	(script\$1) with (file\$1 command\$1 data) and 717/114-115.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/22 17:08
S13 6	12	S135 and @rlad<="20010830"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/22 17:14

		LASI Searci	,			
S13 7	83326	(script\$1 code\$1 application\$1) same reproduc\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/22 17:13
S13 8	7414	(script\$1 code\$1 application\$1) same data near reproduc\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/22 17:13
S13 9	4662	(script\$1 code\$1 application\$1) with data near reproduc\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/22 17:19
S14 0	46	(script\$1) with data near reproduc\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/22 17:14
S14 1	1	S140 and @rlad<="20010830"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/22 17:14
S14 2	1047	S139 and @rlad<="20010830"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/22 17:19
S14 3	607	S142 and table\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/22 17:16
S14 4	0	S143 and script\$1 near2 file\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/22 17:17
S14 5	3	S143 and S126	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/22 17:17
S14 6	41	S126 and S139	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/22 17:19

S14 7	3	S146 and @rlad<="20010830"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/22 17:19
S14 8	12	replica\$9 near data adj set same synchroni\$9	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/23 17:16
S14 9	4	replica\$9 near data same identifier\$1 same counter	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/23 17:24
S15 0	47	replica\$9 same identifier\$1 same counter	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/23 17:24
S15 1	17	S150 and @rlad<="20030123"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/23 17:43
S15 2	20	"5946689".uref.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/23 18:26
S15 3	374	script\$1 same reproduc\$9 with (data text video image\$1 audio)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/26 09:54
S15 4	2	S153 and 717/115.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/26 09:40
S15 5	44	S153 and @rlad<="20010830"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/26 09:42
S15 6	13	S153 and "707"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/26 10:04

		LASI Searc	,			
S15 7	2	"5748499".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/26 10:04
S15 8	2	"6201538".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/26 10:05
S15 9	2	"5376842".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/26 10:05
S16 0	2	"20020007493"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/26 17:51
S16 1	19	(script\$1) same table\$1 same description same branch\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/08 14:53
S16 2	4	"6211974".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/08 14:22
S16 3	71	(script\$1) same table\$1 same branch\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/08 14:55
S16 4	0	(script\$1) same table\$1 same branch\$3 same data adj reproduc\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/08 14:55
S16 5	0	(script\$1) same table\$1 same branch\$3 same reproduc\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/08 14:55
S16 6	7	(script\$1) same table\$1 same branch\$3 and reproduc\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/08 14:57

S16 8 S163 and "717"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/08 14:57	
-------------------------------	---	----	-----	------------------	--